

Abbasi F, Blasey C, Feldman D et al. (2015) Low circulating 25-hydroxyvitamin d concentrations are associated with defects in insulin action and insulin secretion in persons with prediabetes. *J Nutr*;145:714-9.

Adams KF, Schatzkin A, Harris TB et al. (2006) Overweight, obesity, and mortality in a large prospective cohort of persons 50 to 71 years old. *New Engl J Med*;355(8):763-778.

Afshin A, Micha R, Khatibzadeh S et al. (2014) Consumption of nuts and legumes and risk of incident ischemic heart disease, stroke, and diabetes: a systematic review and meta-analysis. *Am J Clin Nutr*;100(1):278-88.

Ahmed A, Wong RJ, Harrison SA (2015) NAFLD Review: Diagnosis, Treatment and Outcomes. *Clin Gastroenterol Hepatol.*;13(12):2062-70.

Alexander DD, Cushing CA (2011) Red meat and colorectal cancer: a critical summary of prospective epidemiologic studies. *Obes Rev*;12(5):e472-93.

Apovian CM (2015) The low-fat, low-carb debate and the theory of relativity. *Am J Clin Nutr*;102(4):719-720.

Appel LJ (2008) Dietary patterns and longevity: expanding the blue zones. *Circulation*;118(3):214-5.

Arnold M, Pandeya N, Byrnes G et al. (2014) Global burden of cancer attributable to high body-mass index in 2012: a population-based study. *The Lancet Oncology, Early Online Publication*;26 Nov 2014.

Astrup A (2014) Yogurt and dairy product consumption to prevent cardiometabolic diseases: epidemiologic and experimental studies. *Am J Clin Nutr*;99(5):1235-42.

Aune D, Lau R, Chan DS et al. (2012) Dairy products and colorectal cancer risk: a systematic review and meta-analysis of cohort studies. *Ann Oncol*;23(1):37-45.

Aune D, Navarro Rosenblatt DA, Chan DS et al. (2015) Dairy products, calcium, and prostate cancer risk: a systematic review and meta-analysis of cohort studies. *Am J Clin Nutr*;101(1):87-117.

Aune D, Norat T, Romundstad P et al. (2013) Dairy products and the risk of type 2 diabetes: a systematic review and dose-response meta-analysis of cohort studies. *Am J Clin Nutr*;98(4):1066-83.

Axt-Gadermann M (2017) *Schlank mit Darm: Mit der richtigen Darmflora zum Wunschgewicht.* Südwest;ISBN 9783517093659

Babio N, Toledo E, Estruch R et al. (2014) Mediterranean diets and metabolic syndrome status in the PREDIMED randomized trial. *CMAJ*;186(17):e649-657.

Barendse W (2014) Should animal fats be back on the table? A critical review of the human health effects of animal fat. *Anim Prod Sci*;54:831-55.

Barona J, Jones JJ, Kopec RE et al. (2012) A Mediterranean-style low-glycemic-load diet increases plasma carotenoids and decreases LDL oxidation in women with metabolic syndrome. *J Nutr Biochem*;23(6):609-15.

Bazzano LA, Hu T, Reynolds K et al. (2014) Effects of low-carbohydrate and low-fat diets: a randomized trial. *Ann Intern Med*;161(5):309-18.

Bekkering P, Jafri I, van Overveld FJ et al. (2013) The intricate association between gut microbiota and development of type 1, type 2 and type 3 diabetes. *Expert Rev Clin Immunol*;9(11):1031-1041.

Belkaid Y, Hand TW (2014) Role of the microbiota in immunity and inflammation. *Cell*;157(1):121-141.

Bell JA, Hamer M, Sabia S et al. (2015) The Natural Course of Healthy Obesity Over 20 Years. *J Am Col*

Card;65(1):101-102.

Berrington de Gonzalez A, Hartge P, Cerhan JR et al. (2010) Body-mass index and mortality among 1.46 million white adults. *New Engl J Med*;363(23):2211-2219.

Bhasin MK, Dusek JA, Chang BH et al. (2013) Relaxation response induces temporal transcriptome changes in energy metabolism, insulin secretion and inflammatory pathways. *PLoS One*;8(5):e62817.

Biederman L, Zeitz J, Mwinyi J et al. (2013) Smoking Cessation Induces Profound Changes in the Composition of the Intestinal Microbiota in Humans. *PLoS ONE*;8(3):e59260.

Bischoff SC, Manns MP (2005) Probiotika, Präbiotika und Synbiotika. *Dt. Ärzteblatt* 102;11:A752-A759.

Black JA, Park M, Gregson J et al. (2015) Child obesity cut-offs as derived from parental perceptions: cross sectional questionnaire. *Br J Gen Pract*;65(633):e234-9.

Boeing H, Bechthold A, Bub A et al. (2012) Critical review: vegetables and fruit in the prevention of chronic diseases. *Eur J Nutr*;51(6):637-63.

Bueno NB, de Melo IS, de Oliveira SL et al. (2013) Very-low-carbohydrate ketogenic diet v. low-fat diet for long-term weight loss: a meta-analysis of randomised controlled trials. *Br J Nutr*;110(7):1178-87.

Burcelin R (2012) Regulation of metabolism: a cross talk between gut microbiota and its human host. *Physiology*;27(5):300-307.

Byrne CD, Targher G (2015) NAFLD: a multisystem disease. *J Hepatol*;62(1 Suppl):47-64.

Calvin AD, Carter RE, Adachi T et al. (2013) Effects of experimental sleep restriction on caloric intake and activity energy expenditure. *Chest*;144(1):79-86.

Campbell AK, Matthews SB, Vassel N et al. (2010) Bacterial metabolic 'toxins': a new mechanism for lactose and food intolerance, and irritable bowel syndrome. *Toxicology*;278(3):268-276.

Cani PD, Amar J, Iglesias MA et al. (2007) Metabolic endotoxemia initiates obesity and insulin resistance. *Diabetes*;56(7):1761-1772.

Canoy D, Wareham N, Luben R et al. (2005) Cigarette smoking and fat distribution in 21,828 British men and women: a population-based study. *Obes Res*;13(8):1466-75.

Cardona F, Andres-Lacueva C, Tulipani S et al. (2013) Benefits of polyphenols on gut microbiota and implications in human health. *J Nutr Biochem*;24(8):1415-1422.

Caricilli AM, Saad MJ (2013) The role of gut microbiota on insulin resistance. *Nutrients*;5(3):829-851.

Carillo AE, Flouris AD (2011) Caloric restriction and longevity: Effects of reduced body temperature. *Ageing Research Reviews*;10(1):153-162.

Castro-Quezada I, Sanchez-Villegas A, Estruch R et al. (2014) A high dietary glycemic index increases total mortality in a Mediterranean population at high cardiovascular risk. *PLoS One*;9(9):e107968.

Cawley J, Meyerhoefer C (2012) The medical care costs of obesity: an instrumental variables approach. *J Health Economics*;31(1):219-230.

Centers for Disease Control and Prevention (2014) National Diabetes Statistics Report. <http://www.cdc.gov/diabetes/pubs/statsreport14/national-diabetes-report-web.pdf>. Zugriff 21. Juni 2015.

Chang Y, Kim B, Yun KE et al. (2014) Metabolically-Healthy Obesity and Coronary Artery Calcification. *JACC*;63(24):2679-2686.

- Chatkin R, Chatkin JM (2007) Smoking and changes in body weight: can physiopathology and genetics explain this association? *J Bras Pneumol*;33:712-719.
- Chirinos JA, Gurubhagavatula I, Teff K et al. (2014) CPAP, Weight Loss, or Both for Obstructive Sleep Apnea. *New Engl J Med*;370:2265-2275.
- Choi HK, Atkinson K, Karlson EW et al. (2005) Obesity, Weight Change, Hypertension, Diuretic Use, and Risk of Gout in Men: The Health Professionals Follow-up Study. *JAMA Internal Medicine*;165(7):742-748.
- Choi Y, Giovannucci E, Lee JE (2012) Glycaemic index and glycaemic load in relation to risk of diabetes-related cancers: a meta-analysis. *Br J Nutr*;108(11):1934-47.
- Chowdhury R, Warnakula S, Kunutsor S et al. (2014) Association of dietary, circulating, and supplement fatty acids with coronary risk: a systematic review and meta-analysis. *Ann Intern Med*;160(6):398-406.
- Church TS, Thomas DM, Tudor-Locke C et al. (2011) Trends over 5 Decades in U.S. Occupation-Related Physical Activity and Their Associations with Obesity. *PLoS ONE*;6(5):e19657.
- Claesson MJ, Jeffrey IB, Conde S (2012) Gut microbiota composition correlates with diet and health in the elderly. *Nature*;488:178-184.
- Clarke SF, Murphey EF, O'Sullivan O et al. (2014) Exercise and associated dietary extremes impact on gut microbial diversity. *Gut* doi 10.1136/gutjnl-2013-306541, published online: 9. Juni 2014
- Clemente JC, Ursell LK, Parfrey LW et al. (2012) The Impact of the Gut Microbiota on Human Health: An Integrative View. *Cell*;148(6):1258-1270.
- Cohen E, Cragg M, deFonseka J et al. (2015) Statistical review of US macronutrient consumption data, 1965-2011. American have been following dietary guidelines, coincident with the rise in obesity. *Nutrition*;31:727-32.
- Cooper AJ, Westgate K, Brage S et al. (2015) Sleep duration and cardiometabolic risk factors among individuals with type 2 diabetes. *Sleep Med*;16(1):119-125.
- Cummings JM, Rodning CB (2000) Urinary Stress Incontinence Among Obese Women: Review of Pathophysiology Therapy. *Int Urogynecol J*;11(1):41-44.
- David LA, Maurica CF et al. (2013) Diet rapidly and reproducibly alters the human gut microbiome. *Nature*;doi:10.1038/nature12820.
- de la Fuente-Arrillaga C, Martinez-Gonzalez MA, Zazpe I et al. (2014) Glycemic load, glycemic index, bread and incidence of overweight/obesity in a Mediterranean cohort: the SUN project. *BMC Public Health*;14:1091.
- de Souza RJ, Mente A, Maroleanu A et al. (2015) Intake of saturated and trans unsaturated fatty acids and risk of all cause mortality, cardiovascular disease, and type 2 diabetes: systematic review and meta-analysis of observational studies. *Brit Med J*;351:h3978.
- de Vadder F, Kovatcheva-Datchary P, Goncalves D et al. (2014) Micro-biota-generated metabolites promote metabolic benefits via gut-brain neural circuits. *Cell*;156(1-2):84-96.
- Degens H, Gayan-Ramirez G, van Hees HW (2015) Smoking-induced skeletal muscle dysfunction: from evidence to mechanisms. *Am J Respir Crit Care Med*;191(6):620-5.
- Delzenne NM, Cani PD (2011) Interaction Between Obesity and the Gut Microbiota: Relevance in Nutrition. *Annu Rev Nutr*;31:15-31.

- Diaz-Rubio ME, Saura-Calixto F (2017) Dietary Fiber in Brewed Coffee. *J Agric Food Chem*;55(5):1999-2003.
- Ding S, Lund PK (2011) Role of intestinal inflammation as an early event in obesity and insulin resistance. *Curr Opin Clin Nutr Metab Care*;14(4):328-333.
- DiNicolantonio JJ (2014) The cardiometabolic consequences of replacing saturated fats with carbohydrates or Omega-6 polyunsaturated fats: Do the dietary guidelines have it wrong? *Open Heart*;1(1):e000032.
- Dong JY, Zhang YH, Wang P et al. (2012) Meta-analysis of dietary glycemic load and glycemic index in relation to risk of coronary heart disease. *Am J Cardiol*;109(11):1608-13.
- Ejaz A, Wu D, Kwan P et al. (2009) Curcumin inhibits adipogenesis in 3T3-L1 adipocytes and angiogenesis and obesity in C57/BL mice. *J Nutr*;139(5):919-925.
- Ekelund U, Ward HA, Norat T et al. (2015) Physical activity and all-cause mortality across levels of overall and abdominal adiposity in European men and women: the European Prospective Investigation into Cancer and Nutrition Study (EPIC). *Am J Clin Nutr*;101(3):613-621.
- Elwood PC, Pickering JE, Givens DI et al. (2010) The consumption of milk and dairy foods and the incidence of vascular disease and diabetes: an overview of the evidence. *Lipids*;45(10):925-39.
- Eneli IU, Skybo T, Camargo CA (2008) Weight loss and asthma: a systematic review. *Thorax*;63:671-676.
- Estruch R, Ros E, Salas-Salvado J et al. (2013) Primary prevention of cardiovascular disease with a Mediterranean diet. *New Engl J Med*;368(14):1279-1290.
- Etxeberria U, Fernandez- Quintela A, Milagro FI et al. (2013) Impact of polyphenols and polyphenol-rich dietary sources on gut microbiota composition. *J Agric Food Chem*;61(40):9517-9533.
- Fasano A (2011) Zonulin and its regulation of intestinal barrier function: the biological door to inflammation, autoimmunity, and cancer. *Physiol Rev*;91(1):151-175.
- Ferguson JF, Phillips CM, Tierney AC et al. (2010) Gene-nutrient interactions in the metabolic syndrome: single nucleotide polymorphisms in ADIPOQ and ADIPOR1 interact with plasma saturated fatty acids to modulate insulin resistance. *Am J Clin Nutr*;91(3):794-801.
- Gangwisch J, Malaspina D, Boden-Albala B et al. (2005) Inadequate sleep as a risk factor for obesity analyses of the NHANES I. *Sleep*;28(10):1289-1296.
- Garcia-Rios A, Delgado-Lista J, Perez-Martinez P et al. (2011) Genetic variations at the lipoprotein lipase gene influence plasma lipid concentrations and interact with plasma n-6 polyunsaturated fatty acids to modulate lipid metabolism. *Atherosclerosis*;218(2):416-422.
- Gearhardt AN, Davis C, Kushner R et al. (2011) The addiction potential of hyperpalatable foods. *Curr Drug Abuse Rev*;4(3):140-145.
- Genta S, Cabrera W, Habib N et al. (2009) Yacón syrup: beneficial effects on obesity and insulin resistance in humans. *Clin Nutr*;28:182-187.
- Global Burden of Metabolic Risk Factors for Chronic Diseases Collaboration, Lu Y, Hajifathalian K et al. (2014) Metabolic mediators of the effects of body-mass index, overweight, and obesity on coronary heart disease and stroke: a pooled analysis of 97 prospective cohorts with 1.8 million participants. *Lancet*;383(9921):970-983.
- Gniechwitz D, Reichardt N, Blaut M et al. (2007) Dietary Fiber from Coffee Beverages: Degradation by

- Human Fecal Microbiota. *J Agric Food Chem*;55(17):6989-6996.
- Gonder U, Worm N. (2010) Mehr Fett! Liebeserklärung an einen zu Unrecht verteufelten Nährstoff. Lünen, Systemed-Verlag.
- Gonnissen HK, Hulshof T, Westerterp-Plantenga MS (2013) Chronobiology, endocrinology, and energy- and food-reward homeostasis. *Obes Rev.*;14(5):405-16.
- Gower BA, Goss AM (2015) A lower-carbohydrate, higher-fat diet reduces abdominal and intermuscular fat and increases insulin sensitivity in adults at risk of type 2 diabetes. *J Nutr*;145(1):177-183.
- Graudal NA, Hubeck-Graudal T, Jurgens G (2012) Effects of low-sodium diet vs. high-sodium diet on blood pressure, renin, aldosterone, catecholamines, cholesterol, and triglyceride (Cochrane Review). *Am J Hypertens*;25(1):1-15.
- Guh DP, Zhang W, Bansback N et al. (2009) The incidence of co-morbidities related to obesity and overweight: a systematic review and meta-analysis. *BMC Public Health*;9:88.
- Gummesson A, Carlsson LM, Storlien LH et al. (2011) Intestinal permeability is associated with visceral adiposity in healthy women. *Obesity (Silver Spring)*;19(11):2280ff.
- Halton TL, Willett WC, Liu S et al. (2006) Low-carbohydrate-diet score and the risk of coronary heart disease in women. *New Engl J Med*;355(19):1991-2002.
- Hamdy O (2014) Nutrition Revolution—The End of the High Carbohydrates Era for Diabetes Prevention and Management. *US Endocrinology*;11:103-4.
- Hamer M, Stamatakis E. (2012) Metabolically healthy obesity and risk of all-cause and cardiovascular disease mortality. *J Clin Endocrinol Metab*;97(7):2482-2488.
- Harcombe Z, Baker JS, Cooper SM et al. (2015) Evidence from randomised controlled trials did not support the introduction of dietary fat guidelines in 1977 and 1983: a systematic review and meta-analysis. *Open Heart*;2(1):e000196.
- Hermann N (2016) Fettlogik überwinden. Ullstein;ISBN 9783548376516
- Hermert S, Verwer J, Schutz B (2013) Clinical Studies Evaluating Effects of Probiotics on Parameters of Intestinal Barrier Function. *Adv Microbiol*;3(2):212-221.
- Hewitt PL, Coren S, Steel GD (2001) Death from anorexia nervosa: age span and sex differences. *Aging & Mental Health*;5(1):41-6.
- Hill JO, Prentice AM (1995) Sugar and body weight regulation. *Am J Clin Nutr*;62(1 Suppl):264-273; discussion 273-274.
- Hogenkamp PS, Nilsson E, Nilsson VC et al. (2013) Acute sleep deprivation increases portion size and affects food choice in young men. *Psychoneuroendocrinology*.;38(9):1668-74.
- Hu T, Mills KT, Yao L et al. (2012) Effects of low-carbohydrate diets versus low-fat diets on metabolic risk factors: a meta-analysis of randomized controlled clinical trials. *Am J Epidemiol*;176 Suppl 7:44-54.
- Jin R, Vos MB (2015) Fructose and liver function - is this behind nonalcoholic liver disease? *Curr Opin Clin Nutr Metab Care*;18(5):490-495.
- Johnson AM, Olefsky JM (2013) The origins and drivers of insulin resistance. *Cell*;152(4):673-684.
- Johnstone AM, Murison SD, Duncan JS et al. (2005) Factors influencing variation in basal metabolic rate include fat-free mass, fat mass, age and circulating thyroxine but not sex, circulating leptin, or

- triiodothyronine. *Am J Clin Nutr*;82(5):941-948.
- Jung SP, Lee KM, Kang JH et al. (2013) Effect of *Lactobacillus gasseri* BNR17 on Overweight and Obese Adults: A Randomised, Double-Blind Clinical Trial. *Korean J Fam Med*;34(2):80-89.
- Kaczmarczyk MM, Miller MJ, Freund GG (2012) The health benefits of dietary fiber: beyond the usual suspects of type 2 diabetes mellitus, cardiovascular disease and colon cancer. *Metabolism*;61(8):1058-1066.
- Kadooka Y, Sato M, Imaizumi K et al. (2010) Regulation of abdominal adiposity by probiotics (*Lactobacillus gasseri* SBT2055) in adults with obese tendencies in a randomized controlled trial. *Eur J Clin Nutr*;64:636-643.
- Kalliomaki M, Collado MC, Salminen S et al. (2008) Early differences in fecal microbiota composition in children may predict overweight. *Am J Clin Nutr*;87:534-538.
- Kim Y, Je Y (2014) Dietary fiber intake and total mortality: a meta-analysis of prospective cohort studies. *Am J Epidemiol*;180(6):565-573.
- Kimura K, Ozeki M, Juneja L et al. (2007) L-Theanine reduces psychological and physiological stress responses. *Biological Psychology*;74(1):39-45.
- Kissileff HR, Thornton JC, Torres MI et al. (2012) Leptin reverses declines in satiation in weight-reduced obese humans. *Am J Clin Nutr*;95(2):309-317.
- Lam YY, Mitchell AJ, Holmes AJ et al. (2011) Role of the gut in visceral fat inflammation and metabolic disorders. *Obesity*;19(11):2113-2120.
- Larsson SC, Orsini N (2014) Red meat and processed meat consumption and all-cause mortality: a meta-analysis. *Am J Epidemiol*;179(3):282-9.
- Lasselin J, Capuron L (2014) Chronic low-grade inflammation in metabolic disorders: relevance for behavioral symptoms. *Neuroimmunomodulation*;21(2-3):95-101.
- Le Chatelier E, Nielsen T, Qin J et al. (2013) Richness of human gut microbiome correlates with metabolic markers. *Nature*;500(7464):541-546.
- Le Stunff C, Fallin D, Schork NJ et al. (2000) The insulin gene VNTR is associated with fasting insulin levels and development of juvenile obesity. *Nature Genetics*;26(4):444-446.
- Leibel RL, Rosenbaum M, Hirsch J (1995) Changes in energy expenditure resulting from altered body weight. *New Engl J Med*;332(10):621-628.
- Lennerz BS, Alsop DC, Holsen LM et al. (2013) Effects of dietary glycemic index on brain regions related to reward and craving in men. *Am J Clin Nutr*;98(3):641-647.
- Ley RE, Turnbaugh PJ, Klein S et al. (2006) Microbial ecology: Human gut microbes associated with obesity. *Nature*;444:1022-1023
- Ley RE, Turnbaugh PJ, Klein S, Gordon JI (2006) Microbial ecology: human gut microbes associated with obesity. *Nature*;444(7122):1022-1023.
- Lippi G, Mattiuzzi C, Gomar FS (2015) Red meat consumption and ischemic heart disease. A systematic literature review. *Meat Sci*;108:32-6.
- Liu L, Wang S, Liu J (2015) Fiber consumption and all-cause, cardiovascular, and cancer mortalities: a systematic review and meta-analysis of cohort studies. *Mol Nutr Food Res*;59(1):139-146.
- Look AHEAD Research Group, Wing RR, Bolin P et al. (2013) Cardiovascular effects of intensive lifestyle

intervention in type 2 diabetes. *New Engl J Med*;369(2):145-154.

Ludwig DS (2000) Dietary glycemic index and obesity. *J Nutr*;130(2S Suppl):280S-283.

Ludwig DS (2002) The glycemic index: physiological mechanisms relating to obesity, diabetes, and cardiovascular disease. *JAMA*;287(18):2414-2423.

Ludwig DS (2007) Clinical update: the low-glycaemic-index diet. *Lancet*;369(9565):890–892.

Ludwig DS (2009) Artificially sweetened beverages: cause for concern. *JAMA*;302(22):2477-2478.

Ludwig DS (2016) Nimmersatt? Warum wir Fett brauchen, um schlank zu werden. Goldman;ISBN 9783442175864

Ludwig DS, Astrup A, Willett WC (2015) The glycemic index: Reports of its demise have been exaggerated. *Obesity*, Silver Spring.

Ludwig DS, Friedman MI (2014) Always Hungry? Here's Why. *NYT*;2014 May 16.

Malhotra A (2013) Saturated fat is not the major issue. *Brit Med J*;347:f6340.e3

Männistö S, Harald K, Kontto J et al. (2014) Dietary and lifestyle characteristics associated with normal-weight obesity: the National FINRISK 2007 Study. *Br J Nutr*;111(5):887-894.

Markwald RR, Melanson EL, Smith MR et al. (2013) Impact of insufficient sleep on total daily energy expenditure, food intake, and weight gain. *Proc Natl Acad Sci U S A.*;110(14):5695-700.

Martinez-Gonzalez MA, Dominguez LJ, Delgado-Rodriguez M (2014) Olive oil consumption and risk of CHD and/or stroke: a meta-analysis of case-control, cohort and intervention studies. *Br J Nutr*;112(2):248-59.

Martinez-Gonzalez MA, Estruch R, Corella D et al. (2014) Prevention of diabetes with mediterranean diets. *Ann Intern Med*;161(2):157-158.

Maukonen J, Saarela M (2015) Human gut microbiota: does diet matter? *Proc Nutr Soc*;74(1):23-36.

Melissas J, Volakakis E, Hadjipavlou A (2013) Low-Back Pain in Morbidly Obese Patients and the Effect of Weight Loss Following Surgery;13(3):389-393.

Mente A, Dehghan M, Rangarajan S et al. Association of dietary nutrients with blood lipids and blood pressure in 18 countries: a cross-sectional analysis from the PURE study. *The Lancet Diabetes & Endocrinology*;5(10):774-787.

Methods for voluntary weight loss and control. NIH Technology Assessment Conference Panel. Consensus Development Conference, 30 March to 1 April 1992. *Ann Intern Med*;119(7 Pt 2):764–770.

Micha R, Wallace SK, Mozaffarian D (2010) Red and processed meat consumption and risk of incident coronary heart disease, stroke, and diabetes mellitus: a systematic review and meta-analysis. *Circulation*;121(21):2271-83.

Michas G, Micha R, Zampelas A (2014) Dietary fats and cardiovascular disease: putting together the pieces of a complicated puzzle. *Atherosclerosis*;234(2):320-8.

Miller V, Mente A, Dehghan M et al. Fruit, vegetable, and legume intake, and cardiovascular disease and deaths in 18 countries (PURE): a prospective cohort study. *Lancet*;2017 Aug 28, pii: S0140-6736(17)32253-5.

Mokdad AH, Marks JS, Stroup DF et al. (2004) Actual Causes of Death in the United States, 2000. *JAMA*;291(10):1238-1245.

- Mosley M, Spencer M (2014) *The Fast Diet - Das Original: 5 Tage essen, 2 Tage fasten*. Goldmann; ISBN 9783442174485
- Mozaffarian D, Ludwig DS (2015) The 2015 US Dietary Guidelines: Lifting the Ban on Total Dietary Fat. *JAMA*;313(24):2421-2422.
- Mozaffarian RS, Lee RM, Kennedy MA et al. (2013) Identifying whole grain foods: a comparison of different approaches for selecting more healthful whole grain products. *Public Health Nutr*;16(12):2255-64.
- Murphey EF, Cotter PD, Healy S et al. (2010) Composition and Energy Harvesting capacity of the gut microbiota: relationship to diet, obesity and time in mouse models. *Gut*;59:1635-1642.
- Ng M, Fleming T, Robinson M et al. (2014) Global, regional, and national prevalence of overweight and obesity in children and adults during 1980-2013: a systematic analysis for the Global Burden of Disease Study 2013. *Lancet*;384(9945):766-81.
- Nobili V, Alkhoury N, Alisi A et al. (2015) Nonalcoholic fatty liver disease: a challenge for pediatricians. *JAMA Pediatr*;169(2):170-176.
- Nolan CJ, Ruderman NB, Kahn SE et al. (2015) Insulin resistance as a physiological defense against metabolic stress: implications for the management of subsets of type 2 diabetes. *Diabetes*;64(3):673-686.
- O'Sullivan TA, Hafekost K, Mitrou F et al. (2013) Food sources of saturated fat and the association with mortality: a meta-analysis. *Am J Public Health*;103(9):e31-42.
- Ostgren CJ, Lindblad U, Ranstam J et al. (2000) Associations between smoking and beta-cell function in a non-hypertensive and non-diabetic population. Skaraborg Hypertension and Diabetes Project. *Diabet Med*;17(6):445-50.
- Parnell JA, Reimer RA (2012) Prebiotic fiber modulation of the gut microbiota improves risk factors for obesity and the metabolic syndrome. *Gut Microbes*;3(1):29-34.
- Parnell JA, Reimer RA (2012) Prebiotic fibres dose-dependently increase satiety hormones and alter Bacteroidetes and Firmicutes in lean and obese JCR:LA-cp rats. *Br J Nutr*;107(4):601-613.
- Pawlak DB, Kushner JA, Ludwig DS (2004) Effects of dietary glycaemic index on adiposity, glucose homeostasis, and plasma lipids in animals. *Lancet*;364(9436):778-785.
- Pelucchi C, Bosetti C, Negri E et al. (2011) Olive oil and cancer risk: an update of epidemiological findings through 2010. *Curr Pharm Des*;17(8):805-12.
- Pepino MY, Tiemann CD, Patterson BW et al. (2013) Sucralose affects glycemic and hormonal responses to an oral glucose load. *Diabetes Care*;36(9):2530-2535.
- Pes GM, Tolu F, Dore MP et al. (2015) Male longevity in Sardinia, a review of historical sources supporting a causal link with dietary factors. *Eur J Clin Nutr*;69(4):411-8.
- Peterson CA, Tosh AK, Belenchia AM (2014) Vitamin D insufficiency and insulin resistance in obese adolescents. *Ther Adv Endocrinol Metab*;5(6):166-89.
- Phillips CM, Goumidi L, Bertrais S et al. (2009) Complement component 3 polymorphisms interact with polyunsaturated fatty acids to modulate risk of metabolic syndrome. *Am J Clin Nutr*;90(6):1665-1673.
- Phillips CM, Goumidi L, Bertrais S et al. (2010) Leptin receptor polymorphisms interact with polyunsaturated fatty acids to augment risk of insulin resistance and metabolic syndrome in adults. *J Nutr*;140(2):238-244.



- Phillips CM, Goumidi L, Bertrais S et al. (2011) Genenutrient interactions and gender may modulate the association between ApoA1 and ApoB gene polymorphisms and metabolic syndrome risk. *Atherosclerosis*;214(2):408-414.
- Phillips CM, Goumidi L, Bertrais S et al. (2012) Dietary saturated fat, gender and genetic variation at the TCF7L2 locus predict the development of metabolic syndrome. *J Nutr Biochem*;23(3):239-244.
- Pilz S, Kienreich K, Rutters F et al. (2013) Role of vitamin D in the development of insulin resistance and type 2 diabetes. *Curr Diab Rep*;13(2):261-70.
- Qin LQ, Xu JY, Han SF et al. (2015) Dairy consumption and risk of cardiovascular disease: an updated meta-analysis of prospective cohort studies. *Asia Pac J Clin Nutr*;24(1):90-100.
- Ridaura VK, Faith JJ, Rey FE et al. (2013) Gut microbiota from twins discordant for obesity modulate metabolism in mice. *Science*;341(6150):1241-1244.
- Rosario AS, Kurth BM, Stolzenberg H et al. (2010) Body mass index percentiles for children and adolescents in Germany based on a nationally representative sample (KiGGS 2003-2006). *Eur J Clin Nutr*;64(4):341-9.
- Rossi M, Turati F, Lagiou P et al. (2015) Relation of dietary glycemic load with ischemic and hemorrhagic stroke: a cohort study in Greece and a meta-analysis. *Eur J Nutr*;54(2):215-22.
- Ruderman N, Chisholm D, Pi-Sunyer X et al. (1998) The metabolically obese, normal-weight individual revisited. *Diabetes*;47(5):699-713.
- Sanchez M, Darimont CH, Drapeau V et al. (2014) Effect of *Lactobacillus rhamnosus* CGMCC1.3724 supplementation on weight loss and maintenance on obese men and women. *Br J Nutr*;111(8):1507-1519.
- Santacruz A, Collado MC, García-Valdés L et al. (2010) Gut microbiota composition is associated with body weight, weight gain and biochemical parameters in pregnant women. *Br J Nutr*;104:83-92.
- Sawyer BJ, Bhammar DM, Angadi SS et al. (2014) Predictors of fat mass changes in response to aerobic exercise training in women. *JSCR*;29(2):297-304.
- Schwingshackl L, Hoffmann G (2014) Monounsaturated fatty acids, olive oil and health status: a systematic review and meta-analysis of cohort studies. *Lipids Health Dis*;13:154.
- Seeger N, Auer J (2014) *Abnehmen durch Achtsamkeit: Das 8-Schritte-Programm zum Wohlfühlgewicht*. Gräfe und Unzer; ISBN 9783833834943
- Shah NR, Braverman ER (2012) Measuring Adiposity in Patients: The Utility of Body Mass Index (BMI), Percent Body Fat, and Leptin. *PLoS One*;7:e33308.7.
- Shai I, Schwarzfuchs D, Henkin Y et al. (2008) Weight loss with a low-carbohydrate, Mediterranean, or low-fat diet. *New Engl J Med*;359(3):229-41.
- Shulman GI (2014) Ectopic fat in insulin resistance, dyslipidemia, and cardiometabolic disease. *New Engl J Med*;371(23):2237-2238.
- Shulman GI (2014) Ectopic fat in insulin resistance, dyslipidemia, and cardiometabolic disease. *New Engl J Med*;371(12):1131-1141.
- Sigal RJ, El-Hashimy M, Martin BC et al. (1997) Acute postchallenge hyperinsulinemia predicts weight gain: a prospective study. *Diabetes*;46(6):1025-1029.
- Siri-Tarino PW, Sun Q, Hu FB, Krauss RM (2010) Meta-analysis of prospective cohort studies evaluating

the association of saturated fat with cardiovascular disease. *Am J Clin Nutr*;91(3):535-546.

Smith JD, Hou T, Ludwig DS et al. (2015) Changes in intake of protein foods, carbohydrate amount and quality, and long-term weight change: results from 3 prospective cohorts. *Am J Clin Nutr*;101(6):1216-24.

Stanhope KL (2012) Role of fructose-containing sugars in the epidemics of obesity and metabolic syndrome. *Annu Rev Med*;63:329-343.

Suganami T, Tanaka M, Ogawa Y (2012) Adipose tissue inflammation and ectopic lipid accumulation. *Endocrine J*;59(10):849-857.

Tay J, Luscombe-Marsh ND, Thompson CH et al. (2015) Comparison of low- and high-carbohydrate diets for type 2 diabetes management: a randomized trial. *Am J Clin Nutr*;102(4):780-790.

The GBD 2015 Obesity Collaborators (2017) Health Effects of Overweight and Obesity in 195 Countries over 25 Years. *N Engl J Med*; 377:13-27.

Thomas EL, Parkinson JR, Frost GS et al. (2012) The missing risk: MRI and MRS phenotyping of abdominal adiposity and ectopic fat. *Obesity*;20(1):76-87.

Tilg H, Kaser A (2011) Gut microbiome, obesity, and metabolic dysfunction. *J Clin Invest*;121(6):2126-2132.

Tirosh A, Shai I, Afek A et al. (2011) Adolescent BMI trajectory and risk of diabetes versus coronary disease. *New Engl J Med*;364(14):1315-1325.

Tobias DK, Pan A, Jackson CL et al. (2014) Body-mass index and mortality among adults with incident type 2 diabetes. *New Engl J Med*;370(3):233-244.

Trasande L, Blustein J, Liu M et al. (2013) Infant antibiotic exposures and early-life body mass. *Int J Obes*;37:16-23.

Tremaroli V, Backhed F (2012) Functional interactions between the gut microbiota and host metabolism. *Nature*;489(7415):242-249.

Turati F, Dilis V, Rossi M et al. (2015) Glycemic load and coronary heart disease in a Mediterranean population: The EPIC Greek cohort study. *Nutr Metab Cardiovasc Dis*;25(3):336-42.

Turnbaugh PJ, Ley RE, Mahowald MA et al. (2006) An obesity-associated gut microbiome with increased capacity for energy harvest. *Nature*;444(7122):1027-1031.

Walker TB, Parker MJ (2014) Lessons from the war on dietary fat. *J Am Coll Nutr*;33(4):347-351.

Walsh CJ, Guinane CM, O'Toole PW et al. (2014) Beneficial modulation of the gut microbiota. *FEBS Letters*;588(22):4120-4130.

Wang X, Ouyang Y, Liu J et al. (2014) Fruit and vegetable consumption and mortality from all causes, cardiovascular disease, and cancer: systematic review and dose-response meta-analysis of prospective cohort studies. *Brit Med J*;349:g4490.

Weigle DS, Breen PA, Matthys CC et al. (2005) A high-protein diet induces sustained reductions in appetite, ad libitum caloric intake, and body weight despite compensatory changes in diurnal plasma leptin and ghrelin concentrations. *Am J Clin Nutr*;82(1):41-48.

What causes obesity? (1924) *JAMA*;83(13):1003.

Wildman RP, Muntner P, Reynolds K et al. (2008) The obese without cardiometabolic risk factor clustering and the normal weight with cardio-metabolic risk factor clustering: prevalence and

- correlates of 2 phenotypes among the US population (NHANES 1999–2004). *JAMA Internal Medicine*;168(15):1617-1624.
- Willcox BJ, Willcox DC. (2014) Caloric restriction, caloric restriction mimetics, and healthy aging in Okinawa: controversies and clinical implications. *Curr Opin Clin Nutr Metab Care*;17(1):51-8.
- Willcox DC, Willcox BJ, Todoriki H et al. (2009) The Okinawan diet: health implications of a low-calorie, nutrient-dense, antioxidant-rich dietary pattern low in glycemic load. *J Am Coll Nutr*;28 Suppl:500-16.
- Wong JM (2014) Gut microbiota and cardiometabolic outcomes: influence of dietary patterns and their associated components. *Am J Clin Nutr*;100 Suppl 1:369-77.
- Worm N (2012) Mehr Fett. Warum die etablierten Ernährungsempfehlungen nicht haltbar und potenziell gefährlich sind. *Ernährung & Medizin*;27:57-63.
- Worm N (2016) *Flexi Carb*. Riva Verlag;ISBN 9783868836318
- Wu H, Flint AJ, Qi Q et al. (2015) Association between dietary whole grain intake and risk of mortality: two large prospective studies in US men and women. *JAMA Intern Med*;175(3):373-84.
- Wu Y, Qian Y, Pan Y et al. (2015) Association between dietary fiber intake and risk of coronary heart disease: A meta-analysis. *Clin Nutr*;34(4):603-11.
- Yang Y, Zhao LG, Wu QJ et al. (2015) Association between dietary fiber and lower risk of all-cause mortality: a meta-analysis of cohort studies. *Am J Epidemiol*;181(2):83-91.
- Yatsuya H, Nishihashi T, Li Y et al. (2014) Independent association of liver fat accumulation with insulin resistance. *Obes Res Clin Pract*;8(4):e350-355.
- Yki-Jarvinen H (2014) Non-alcoholic fatty liver disease as a cause and a consequence of metabolic syndrome. *Lancet Diabetes Endocrinol*;2(11):901-910.
- Zhao LG, Sun JW, Yang Y et al. (2016) Fish consumption and all-cause mortality: a meta-analysis of cohort studies. *Eur J Clin Nutr*;70(2):155-61.